This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES


Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.



Third Component Piece

Fourth Component Piece

FIG. 2

Inventor(s): Sung Hwan Moon et al. Express Mail No. EV336653890US

Docket No. 200146.402C3

H-101651




FIG. 3




FIG. 4A




FIG. 4B




FIG. 4C




FIG. 4D




FIG. 4E




FIG. 4F




FIG. 4G




FIG. 5A



FIG. 5B

PC-12/Vector

PC-12/WT

PC-12/L286V

PC-12/L286 with Compound D




FIG. 5C



FIG. 6A




FIG. 6B




FIG. 6C





FIG. 6D









FIG. 7A





	■ Compound D+	▲Compound D+	▼Compound D+	◆Compound D+
	OµM 5-FU	0.5μM 5-FU	1µM 5-FU	2μM 5-FU
ÏC ₅₀ :	0.87 +/- 0.11	0.79 +/- 0.11	0.32 +/- 0.09	0.12 +/- 0.08

FIG. 8



Wnt1 stimulation on Survivin reporter gene in 3T3 cells




FIG. 10




FIG. 11





FIG. 12

Inventor(s): Sung Hwan Moon et al. Express Mail No. EV336653890US Docket No. 200146.402C3



Antibody

18-hour Treatment with 25 uM Compound D

FIG. 13




FIG. 14A




FIG. 14B






FIG. 14C








FIG. 17